Great Kids Pediatrics

Memorial City Professional Building III 915 Gessner, Suite 350

Houston, Texas 77024
Tel (713) 932-6261

Fax (713) 932-7229

www.GreatKidsPediatrics.com

*Our doses are sometimes higher than the manufacturer label.

1/2tsp=2.5ml	2tsp=10ml
1tsp=5ml	3tsp=15ml

Ibuprofen (Advil) Dosing Chart

Weight	Oral Drops	Suspension	Chewable Tablet	Chewable Tablet	Caplet
in pounds	50mg/1.25ml	100mg/tsp	50mg	100mg	100mg
12-17	1.25ml	2.5ml			
18-23	2.5 ml	5ml	2 tabs	1 tab	
24-35	3.75 ml	7.5ml	3 tabs	1 1/2 tabs	
36-47		10ml	4 tabs	2 tabs	2 caps
48-59		12.5ml	5 tabs	2 1/2 tabs	2 1/2 caps
60-71		15ml	6 tabs	3 tabs	3 caps
72-95		20ml	8 tabs	4 tabs	4 caps

Dosing Instructions:

FOR INFANTS OVER 6 MONTHS ONLY give dose every 6 hours

as needed for fever or pain.

Acetaminophen (Tylenol) Dosing Chart

Please carefully check the strength of the liquid Acetaminophen

Weight	Infant Concentrated	Suspension	Chewable Tablet	Chewable Tablet
in pounds	Drops 80mg/0.8ml	160mg/tsp	80mg	180mg
6-11	0.4 ml	1.25 ml		
12-17	0.8 ml	2.5ml		
18-23	1.2 ml	3.75ml		
24-35	1.6 ml	5ml	2 tabs	
36-47		7.5ml	3 tabs	
48-59		10ml	4 tabs	2 tabs
60-71		12.5ml	5 tabs	2 1/2 tabs
72-95		15ml	6 tabs	3 tabs
96 & Over				4 tabs

Dosing Instructions:

Give dose every 4 hours as needed for fever or pain.

For the most accurate dose, ask your pharmacist about getting a syringe for measuring

^{*}Some of the cups/spoons provided are not precise.